


Zero Turn Mower with 60in Deck - Models LZX801CKA60600, LZX801CKA606C1, LZX801GKA60600, LZX801GKA606C1, LZX921GKA60600, LZX940EKC60600, LZX940EKC606T0, LZX940EKC606W0 Caster Wheel





Zero Turn Mower with 60in Deck - Models LZX801CKA60600, LZX801CKA606C1, LZX801GKA60600, LZX801GKA606C1, LZX921GKA60600, LZX940EKC60600, LZX940EKC606T0, LZX940EKC606W0 Caster Wheel







Zero Turn Mower with 60in Deck - Models LZX801CKA60600, LZX801CKA606C1, LZX801GKA60600, LZX801GKA606C1, LZX921GKA60600, LZX940EKC60600, LZX940EKC606T0, LZX940EKC606W0 Caster Wheel



	R&R Part No.	OEM Part No.	Description	Qty Req	Price O Each Qua	rde ntity
Tires	& Wheels					
0	TIRES		Click Here to View Complete Tire Selection	0	0.00	
31	R109-9127	109-9127	Tire & Wheel - 13x6.50-6 Flat Free	2	127.60	
Optic	onal Michelin Twee	el Tires				
40	RTMT73818	109-9127, 117-0361, 126-3289, 126-4860	Michelin X Tweel Turf Caster Grooved - 13x6.5N6 (5/8in Mount) 290 lb Max Load	2	204.15	
	radius mowers, an which helps ensure	d completely eliminate the the mower deck produc	sters replace the existing front casters ne risk of flat tires. They have a consis es an even cut, while the poly-resin sp	tent hu ookes h	b height elp	
		or enhanced operator col lesigned to provide a long	mfort, even when navigating over cur gwear life.:	bs and	other	
40				bs and b	other 204.15	
40	bumps. They are d RTMT41011 Detail Description: radius mowers, an which helps ensure dampen the ride fo	lesigned to provide a long 109-9127, 117-0361, 126-3289, 126-4860 Michelin X Tweel Turf cas d completely eliminate the e the mower deck produc	wear life.: Michelin X Tweel Turf Caster Smooth - 13x6.5N6 (5/8in Mount) 290 lb Max Load Sters replace the existing front casters the risk of flat tires. They have a consis tes an even cut, while the poly-resin sp mfort, even when navigating over cur	2 5 on zer tent hu pokes ho	204.15 o turn b height elp	
40	bumps. They are d RTMT41011 Detail Description: radius mowers, an which helps ensure dampen the ride fo	lesigned to provide a long 109-9127, 117-0361, 126-3289, 126-4860 Michelin X Tweel Turf cas d completely eliminate th e the mower deck produc or enhanced operator col	wear life.: Michelin X Tweel Turf Caster Smooth - 13x6.5N6 (5/8in Mount) 290 lb Max Load Sters replace the existing front casters the risk of flat tires. They have a consis tes an even cut, while the poly-resin sp mfort, even when navigating over cur	2 5 on zer tent hu pokes ho	204.15 o turn b height elp	
41	bumps. They are d RTMT41011 Detail Description: radius mowers, an which helps ensure dampen the ride fo bumps. They are d	lesigned to provide a long 109-9127, 117-0361, 126-3289, 126-4860 Michelin X Tweel Turf cas d completely eliminate th e the mower deck produc or enhanced operator col	wear life.: Michelin X Tweel Turf Caster Smooth - 13x6.5N6 (5/8in Mount) 290 lb Max Load Sters replace the existing front casters the risk of flat tires. They have a consis tes an even cut, while the poly-resin sp mfort, even when navigating over cur ty wear life.: Michelin Spacer - 1/2in ID x	2 s on zer stent hu pokes ho bs and b	204.15 o turn b height elp other	
41 Othe	bumps. They are d RTMT41011 Detail Description: radius mowers, an which helps ensure dampen the ride fo bumps. They are d RTMT40653	lesigned to provide a long 109-9127, 117-0361, 126-3289, 126-4860 Michelin X Tweel Turf cas d completely eliminate th e the mower deck produc or enhanced operator col	wear life.: Michelin X Tweel Turf Caster Smooth - 13x6.5N6 (5/8in Mount) 290 lb Max Load Sters replace the existing front casters the risk of flat tires. They have a consis tes an even cut, while the poly-resin sp mfort, even when navigating over cur ty wear life.: Michelin Spacer - 1/2in ID x	2 s on zer stent hu pokes ho bs and b	204.15 o turn b height elp other	



Zero Turn Mower with 60in Deck - Models LZX801CKA60600, LZX801CKA606C1, LZX801GKA60600, LZX801GKA606C1, LZX921GKA60600, LZX940EKC60600, LZX940EKC606T0, LZX940EKC606W0 Caster Wheel



ltem R&R No Part No.	OEM Part No.	Description	Qty Req	Price Order Each Quantity
52 R103-2768	103-2768	Guard - Seal	4	3.45
53 R103-3051	103-3051	Spacer - Nut - Hardened	4	7.45
54 R103-5156	103-5156	Axle- Caster	2	9.65
55 R103-0063	103-0063	Seal - Grease	4	5.15
56 R254-78	1-633585	Tapered Bearing Cone	4	6.40
57 R254-79	1-633584, R & R ONLY	Cup - Bearing	4	3.40

Detail Description: Use R254-79M installation mandrel to properly install race.:

58 RF5003	3296-23	Locknut - ESNA 1/2-13	2	0.82
59 R126-5361	126-5361	Axle Assy - with Bushing - Caster	2	12.50
60 R500534	1-633585, R & R ONLY	Bearing - with Cup	4	12.40

Detail Description: Kit includes: 1 ea R254-78- Bearing Cone & R254-79 Bearing Cone:

61 R116-5647	116-5647, R & R ONLY	Seal - Grease	2	3.05
62 R254-94	1-543509	Tapered Bearing Cone	4	7.55
63 R254-72	1-543508	Cup - Bearing	4	4.05
64 R1-633508	1-633508	Washer - Spring Disc	6	3.10
65 R3296-51	3296-51	Nut - Nylon Lock 3/4-10 Gr 8	2	5.70
66 R103-4882	103-4882	Grease Cap - Castor	2	4.45



Zero Turn Mower with 60in Deck - Models LZX801CKA60600, LZX801CKA606C1, LZX801GKA60600, LZX801GKA606C1, LZX921GKA60600, LZX940EKC60600, LZX940EKC606T0, LZX940EKC606W0 Caster Wheel



ltem R&R	OEM	Description	Qty	Price Order
No Part No.	Part No.		Req	Each Quantity
67 R500596	R & R ONLY	Tapered Bearing Set - Cup and Cone	4	14.65