


Replaces Exmark Staris S-Series Parts Stand-On Mower with 48in Deck - Models STS650AKC48400



Stand-On Mower with 48in Deck - Models STS650AKC48400 & STS651GKA48400 Caster Wheel





Replaces Exmark Staris S-Series Parts Stand-On Mower with 48in Deck - Models STS650AKC48400



Stand-On Mower with 48in Deck - Models STS650AKC48400 & STS651GKA48400 Caster Wheel

Other Parts Available 61 R325-39 325-39 Bolt - Hx HD 1/2-13 x 9 1/2 2 5.65 62 R103-2768 103-2768 Guard - Seal 4 3.45 63 R126-5361 126-5361 Axle Assy - with Bushing - Caster 2 12.50 64 R103-5156 103-5156 Axle - Caster 2 9.65 65 R103-3051 103-3051 Spacer - Nut - Hardened 4 7.45 66 R103-0063 103-0063 Seal - Grease 4 5.15 67 R500534 1-633585, R. & R. ONLY Bearing - with Cup 4 12.40 Detail Description: Kit includes: 1 ea R254-78- Bearing Cone & R254-79 Bearing Cone: 68 R254-78 1-633585 Tapered Bearing Cone 4 6.40 69 R254-79 1-633584, R. & R ONLY Cup - Bearing 4 3.40 Detail Description: Use R254-79M installation mandrel to properly install race: 70 R32128-23 99-5107 Nut - Lock Hex Flanged 1/2-13 2		R&R Part No.	OEM Part No.	Description	Qty Req	Price Order Each Quantity					
62 R103-2768 103-2768 Guard - Seal 4 3.45 63 R126-5361 126-5361 Axle Assy - with Bushing - Caster 2 12.50 64 R103-5156 103-5156 Axle - Caster 2 9.65 65 R103-3051 103-3051 Spacer - Nut - Hardened 4 7.45 66 R103-0063 103-0063 Seal - Grease 4 5.15 67 R500534 1-633585, R & R ONLY Bearing - with Cup 4 12.40 Detail Description: Kit includes: 1 ea R254-78- Bearing Cone & R254-79 Bearing Cone: 68 R254-78 1-633585 Tapered Bearing Cone 4 6.40 69 R254-79 1-633584, R & R ONLY Cup - Bearing 4 3.40 Detail Description: Use R254-79M installation mandrel to properly install race.: 70 R32128-23 99-5107 Nut - Lock Hex Flanged 1/2-13 2 1.55 71 R116-5647 R & R ONLY Seal - Grease 2 3.05 72 R254-94 1-543508 Cup - Bearing 4 4.05 74 R500596 <t< td=""><td colspan="11">Other Parts Available</td></t<>	Other Parts Available										
63 R126-5361 126-5361 Axle Assy - with Bushing - Caster 2 12.50 64 R103-5156 103-5156 Axle- Caster 2 9.65 65 R103-3051 103-3051 Spacer - Nut - Hardened 4 7.45 66 R103-0063 103-0063 Seal - Grease 4 5.15 67 R500534 1-633585, R & R ONLY Bearing - with Cup 4 12.40 Detail Description: Kit includes: 1 ea R254-78- Bearing Cone & R254-79 Bearing Cone: 68 R254-78 1-633585 Tapered Bearing Cone 4 6.40 69 R254-79 1-633584, R & R ONLY Cup - Bearing 4 3.40 Detail Description: Use R254-79M installation mandrel to properly install race.: 70 R32128-23, 99-5107 Nut - Lock Hex Flanged 1/2-13 2 1.55 71 R116-5647 R & R ONLY Seal - Grease 2 3.05 72 R254-94 1-543509 Tapered Bearing Cone 4 7.55 73 R254-72 1-543508 Cup - Bearing 4 4.05 74 R500596	61	R325-39	325-39	Bolt - Hx HD 1/2-13 x 9 1/2	2	5.65					
64 R103-5156 103-5156 Axle- Caster 2 9.65 65 R103-3051 103-3051 Spacer - Nut - Hardened 4 7.45 66 R103-0063 103-0063 Seal - Grease 4 5.15 67 R500534 1-633585, R & R ONLY Bearing - with Cup 4 12.40 Detail Description: Kit includes: 1 ea R254-78- Bearing Cone & R254-79 Bearing Cone: 68 R254-78 1-633585 Tapered Bearing Cone 4 6.40 69 R254-79 1-633584, R & R ONLY Cup - Bearing 4 3.40 Detail Description: Use R254-79M installation mandrel to properly install race.: 70 R32128-23 99-5107 Nut - Lock Hex Flanged 1/2-13 2 1.55 71 R116-5647 R & R ONLY Seal - Grease 2 3.05 72 R254-94 1-543508 Cup - Bearing Cone 4 7.55 73 R254-72 1-543508 Cup - Bearing Set - Cup and Cone 2 14.65 75 R1-633508 1-633508 Washer - Spring Disc 6 3.10	62	R103-2768	103-2768	Guard - Seal	4	3.45					
65 R103-3051 103-3051 Spacer - Nut - Hardened 4 7.45 66 R103-0063 103-0063 Seal - Grease 4 5.15 67 R500534 1-633585, R & R ONLY Bearing - with Cup 4 12.40 Detail Description: Kit includes: 1 ea R254-78- Bearing Cone & R254-79 Bearing Cone: 68 R254-78 1-633585 Tapered Bearing Cone 4 6.40 69 R254-79 1-633584, R & R ONLY Cup - Bearing 4 3.40 Detail Description: Use R254-79M installation mandrel to properly install race.: 70 R32128-23 32128-23, 99-5107 Nut - Lock Hex Flanged 1/2-13 2 1.55 71 R116-5647 116-5647, R & R ONLY Seal - Grease 2 3.05 72 R254-94 1-543509 Tapered Bearing Cone 4 7.55 73 R254-72 1-543508 Cup - Bearing 4 4.05 74 R500596 R & R ONLY Tapered Bearing Set - Cup and Cone 2 14.65 75 R1-633508 1-633508 Washer - Spring Disc 6 3.10	63	R126-5361	126-5361	Axle Assy - with Bushing - Caster	2	12.50					
66 R103-0063 103-0063 Seal - Grease 4 5.15 67 R500534 1-633585, R & R ONLY Bearing - with Cup 4 12.40 Detail Description: Kit includes: 1 ea R254-78- Bearing Cone & R254-79 Bearing Cone: 68 R254-78 1-633585 Tapered Bearing Cone 4 6.40 69 R254-79 1-633584, R & R ONLY Cup - Bearing 4 3.40 Detail Description: Use R254-79M installation mandrel to properly install race.: 70 R32128-23 32128-23, 99-5107 Nut - Lock Hex Flanged 1/2-13 2 1.55 71 R116-5647 116-5647, R & R ONLY Seal - Grease 2 3.05 72 R254-94 1-543509 Tapered Bearing Cone 4 7.55 73 R254-72 1-543508 Cup - Bearing 4 4.05 74 R500596 R & R ONLY Tapered Bearing Set - Cup and Cone 2 14.65 75 R1-633508 1-633508 Washer - Spring Disc 6 3.10	64	R103-5156	103-5156	Axle- Caster	2	9.65					
67 R500534 1-633585, R & R ONLY Bearing - with Cup 4 12.40 Detail Description: Kit includes: 1 ea R254-78- Bearing Cone & R254-79 Bearing Cone: 68 R254-78 1-633585 Tapered Bearing Cone 4 6.40 69 R254-79 1-633584, R & R ONLY Cup - Bearing 4 3.40 Detail Description: Use R254-79M installation mandrel to properly install race.: 70 R32128-23 99-5107 Nut - Lock Hex Flanged 1/2-13 2 1.55 71 R116-5647 116-5647, R & R ONLY Seal - Grease 2 3.05 72 R254-94 1-543509 Tapered Bearing Cone 4 7.55 73 R254-72 1-543508 Cup - Bearing 4 4.05 74 R500596 R & R ONLY Tapered Bearing Set - Cup and Cone 2 14.65 75 R1-633508 1-633508 Washer - Spring Disc 6 3.10	65	R103-3051	103-3051	Spacer - Nut - Hardened	4	7.45					
R & R ONLY Detail Description: Kit includes: 1 ea R254-78- Bearing Cone & R254-79 Bearing Cone: 68 R254-78 1-633585 Tapered Bearing Cone 4 6.40 69 R254-79 1-633584, R & R ONLY Cup - Bearing 4 3.40 Detail Description: Use R254-79M installation mandrel to properly install race.: 70 R32128-23, 99-5107 Nut - Lock Hex Flanged 1/2-13 2 1.55 71 R116-5647 R & R ONLY Seal - Grease 2 3.05 72 R254-94 1-543509 Tapered Bearing Cone 4 7.55 73 R254-72 1-543508 Cup - Bearing 4 4.05 74 R500596 R & R ONLY Tapered Bearing Set - Cup and Cone 2 14.65 75 R1-633508 1-633508 Washer - Spring Disc 6 3.10	66	R103-0063	103-0063	Seal - Grease	4	5.15					
68 R254-78 1-633585 Tapered Bearing Cone 4 6.40 69 R254-79 1-633584, R & R ONLY Cup - Bearing 4 3.40 Detail Description: Use R254-79M installation mandrel to properly install race.: 70 R32128-23 32128-23, 99-5107 Nut - Lock Hex Flanged 1/2-13 2 1.55 71 R116-5647 R & R ONLY Seal - Grease 2 3.05 72 R254-94 1-543509 Tapered Bearing Cone 4 7.55 73 R254-72 1-543508 Cup - Bearing 4 4.05 74 R500596 R & R ONLY Tapered Bearing Set - Cup and Cone 2 14.65 75 R1-633508 1-633508 Washer - Spring Disc 6 3.10	67	R500534	·	Bearing - with Cup	4	12.40					
69 R254-79 1-633584, R & R ONLY Cup - Bearing 4 3.40 Detail Description: Use R254-79M installation mandrel to properly install race.: 70 R32128-23 32128-23, 99-5107 Nut - Lock Hex Flanged 1/2-13 2 1.55 71 R116-5647 116-5647, R & R ONLY Seal - Grease 2 3.05 72 R254-94 1-543509 Tapered Bearing Cone 4 7.55 73 R254-72 1-543508 Cup - Bearing 4 4.05 74 R500596 R & R ONLY Tapered Bearing Set - Cup and Cone 2 14.65 75 R1-633508 1-633508 Washer - Spring Disc 6 3.10		Detail Description: Kit includes: 1 ea R254-78- Bearing Cone & R254-79 Bearing Cone:									
R & R ONLY Cup - Bearing 4 3.40 Detail Description: Use R254-79M installation mandrel to properly install race.: 70 R32128-23 32128-23, 99-5107 Nut - Lock Hex Flanged 1/2-13 2 1.55 71 R116-5647 R & R ONLY Seal - Grease 2 3.05 72 R254-94 1-543509 Tapered Bearing Cone 4 7.55 73 R254-72 1-543508 Cup - Bearing 4 4.05 74 R500596 R & R ONLY Tapered Bearing Set - Cup and Cone 2 14.65 75 R1-633508 1-633508 Washer - Spring Disc 6 3.10	68	R254-78	1-633585	Tapered Bearing Cone	4	6.40					
70 R32128-23 32128-23, 99-5107 Nut - Lock Hex Flanged 1/2-13 2 1.55 71 R116-5647 116-5647, R & R ONLY Seal - Grease 2 3.05 72 R254-94 1-543509 Tapered Bearing Cone 4 7.55 73 R254-72 1-543508 Cup - Bearing 4 4.05 74 R500596 R & R ONLY Tapered Bearing Set - Cup and Cone 2 14.65 75 R1-633508 1-633508 Washer - Spring Disc 6 3.10	69	R254-79		Cup - Bearing	4	3.40					
70 R32128-23 99-5107 Nutr - Lock Hex Flanged 1/2-13 2 1.35 71 R116-5647 116-5647, R & R ONLY Seal - Grease 2 3.05 72 R254-94 1-543509 Tapered Bearing Cone 4 7.55 73 R254-72 1-543508 Cup - Bearing 4 4.05 74 R500596 R & R ONLY Tapered Bearing Set - Cup and Cone 2 14.65 75 R1-633508 1-633508 Washer - Spring Disc 6 3.10		Detail Description: Use R254-79M installation mandrel to properly install race.:									
71 R116-3647 R & R ONLY Sedi - Grease 2 3.03 72 R254-94 1-543509 Tapered Bearing Cone 4 7.55 73 R254-72 1-543508 Cup - Bearing 4 4.05 74 R500596 R & R ONLY Tapered Bearing Set - Cup and Cone 2 14.65 75 R1-633508 1-633508 Washer - Spring Disc 6 3.10	70	R32128-23	·	Nut - Lock Hex Flanged 1/2-13	2	1.55					
73 R254-72 1-543508 Cup - Bearing 4 4.05 74 R500596 R & R ONLY Tapered Bearing Set - Cup and Cone 2 14.65 75 R1-633508 1-633508 Washer - Spring Disc 6 3.10	71	R116-5647		Seal - Grease	2	3.05					
74 R500596 R & R ONLY Tapered Bearing Set - Cup and Cone 2 14.65 75 R1-633508 1-633508 Washer - Spring Disc 6 3.10	72	R254-94	1-543509	Tapered Bearing Cone	4	7.55					
75 R1-633508 1-633508 Washer - Spring Disc 6 3.10	73	R254-72	1-543508	Cup - Bearing	4	4.05					
	74	R500596	R & R ONLY	Tapered Bearing Set - Cup and Cone	2	14.65					
	75	R1-633508	1-633508	Washer - Spring Disc	6	3.10					
76 R3296-51 3296-51 Nut - Nylon Lock 3/4-10 Gr 8 2 5.70	76	R3296-51	3296-51	Nut - Nylon Lock 3/4-10 Gr 8	2	5.70					

All original equipment manufacturers names and part numbers are used for identification purposes only, and we are in no way implying that our products are original equipment parts. Prices subject to change without notice.



Replaces Exmark Staris S-Series Parts Stand-On Mower with 48in Deck - Models STS650AKC48400



Stand-On Mower with 48in Deck - Models STS650AKC48400 & STS651GKA48400 Caster Wheel

Item R&R	OEM	Description	Qty	Price Order
No Part No.	Part No.		Req	Each Quantity
77 R103-4882	103-4882	Grease Cap - Castor	2	4.45