


## **Replaces Exmark Lazer Z DS-Series Parts**



Zero-Turn Mower with 60in Deck - Model LZS902DKU605A1 Caster Wheel





## **Replaces Exmark Lazer Z DS-Series Parts**



Zero-Turn Mower with 60in Deck - Model LZS902DKU605A1 Caster Wheel

	R&R Part No.	OEM Part No.	Description	Qty Req	Price Order Each Quantity			
Tires								
31	R109-9127	109-9127	Tire & Wheel - 13x6.50-6 Flat Free	2	127.60			
Other Parts Available								
70	R116-8888	103-1474-01, 1166707-01, 116-6707-01	Fork - Caster 7.875 in Inside	2	110.10			
72	R116-5647	116-5647, R & R ONLY	Seal - Grease	2	3.05			
73	R254-94	1-543509	Tapered Bearing Cone	4	7.55			
74	R254-72	1-543508	Cup - Bearing	4	4.05			
75	R1-633508	1-633508	Washer - Spring Disc	6	3.10			
76	R3296-51	3296-51	Nut - Nylon Lock 3/4-10 Gr 8	2	5.70			
78	R500596	R & R ONLY	Tapered Bearing Set - Cup and Cone	4	14.65			
88	R103-4882	103-4882	Grease Cap - Castor	2	4.45			
91	R325-39	325-39	Bolt - Hx HD 1/2-13 x 9 1/2	2	5.65			
92	R103-2768	103-2768	Guard - Seal	4	3.45			
93	R103-3051	103-3051	Spacer - Nut - Hardened	4	7.45			
94	R103-5156	103-5156	Axle- Caster	2	9.65			
95	R103-0063	103-0063	Seal - Grease	4	5.15			
96	R254-78	1-633585	Tapered Bearing Cone	4	6.40			
97	R254-79	1-633584, R & R ONLY	Cup - Bearing	4	3.40			
	Detail Description: Use R254-79M installation mandrel to properly install race.:							

All original equipment manufacturers names and part numbers are used for identification purposes only, and we are in no way implying that our products are original equipment parts. Prices subject to change without notice.



## **Replaces Exmark Lazer Z DS-Series Parts**



Zero-Turn Mower with 60in Deck - Model LZS902DKU605A1 Caster Wheel

	R&R Part No.	OEM Part No.	Description	Qty Req	Price Order Each Quantity				
98	R126-5361	126-5361	Axle Assy - with Bushing - Caster	2	12.50				
99	R500534	1-633585, R & R ONLY	Bearing - with Cup	4	12.40				
	Detail Description: Kit includes: 1 ea R254-78- Bearing Cone & R254-79 Bearing Cone:								
100	RF5003	3296-23	Locknut - ESNA 1/2-13	2	0.82				