


## **Replaces Scag SCZ - Cheetah Parts**



48in Zero-Turn Mower Caster Wheel





## **Replaces Scag SCZ - Cheetah Parts**



48in Zero-Turn Mower Caster Wheel

131()	R&R Part No.	<i>r Wheel</i> OEM Part No.	Description	Qty Req	Price Orde Each Quantit			
	& Wheels	Turcivo.	Description	ricq	<u>Lucii</u> Quantit			
20	TIRES		Click Here to View Complete Tire Selection	0	0.00			
ptio	onal Michelin Tweel	Tires						
30	RTMT41011	482619, 486422, 487683, 924C, 9278	Michelin X Tweel Turf Caster Smooth - 13x6.5N6 (5/8in Mount) 290 lb Max Load	2	204.15			
	Detail Description: Michelin X Tweel Turf casters replace the existing front casters on zero turn radius mowers, and completely eliminate the risk of flat tires. They have a consistent hub height which helps ensure the mower deck produces an even cut, while the poly-resin spokes help dampen the ride for enhanced operator comfort, even when navigating over curbs and other bumps. They are designed to provide a long wear life.:							
30	RTMT73818	482619, 486422, 487683, 924C, 9278	Michelin X Tweel Turf Caster Grooved - 13x6.5N6 (5/8in Mount) 290 lb Max Load	2	204.15			
	Detail Description: Michelin X Tweel Turf casters replace the existing front casters on zero turn radius mowers, and completely eliminate the risk of flat tires. They have a consistent hub height which helps ensure the mower deck produces an even cut, while the poly-resin spokes help dampen the ride for enhanced operator comfort, even when navigating over curbs and other bumps. They are designed to provide a long wear life.:							
	radius mowers, and which helps ensure t dampen the ride for	the mower deck prod enhanced operator (	luces an even cut, while the poly-resin s comfort, even when navigating over cu	stent hu pokes h	ıb height elp			
31	radius mowers, and which helps ensure t dampen the ride for	the mower deck prod enhanced operator (	luces an even cut, while the poly-resin s comfort, even when navigating over cu	stent hu pokes h	ıb height elp			
	radius mowers, and which helps ensure t dampen the ride for bumps. They are des	the mower deck prod enhanced operator (	luces an even cut, while the poly-resin s comfort, even when navigating over cu ong wear life.:  Michelin Spacer - 1/2in ID x	stent hu pokes h rbs and	ob height elp other			
the	radius mowers, and which helps ensure to dampen the ride for bumps. They are des	the mower deck prod enhanced operator (	luces an even cut, while the poly-resin s comfort, even when navigating over cu ong wear life.:  Michelin Spacer - 1/2in ID x	stent hu pokes h rbs and	ob height elp other			
<b>4</b> 3	radius mowers, and which helps ensure to dampen the ride for bumps. They are des	the mower deck prod enhanced operator o signed to provide a lo	luces an even cut, while the poly-resin so comfort, even when navigating over cut ong wear life.:  Michelin Spacer - 1/2in ID x 5/8in OD	stent hu spokes h rbs and 4	nb height help other 19.35			
<b>4</b> 3	radius mowers, and which helps ensure to dampen the ride for bumps. They are des RTMT38182  r Parts Available  RZS481025	the mower deck prod enhanced operator of signed to provide a lo	luces an even cut, while the poly-resin so comfort, even when navigating over cut ong wear life.:  Michelin Spacer - 1/2in ID x 5/8in OD  Seal - Bottom	stent hu spokes h rbs and 4	tb height elp other  19.35  2.85			
43 44	radius mowers, and which helps ensure to dampen the ride for bumps. They are des RTMT38182  r Parts Available  RZS481025  RZS43583  R500534	the mower deck proden enhanced operator of signed to provide a lossigned to 481025  481025  482621	luces an even cut, while the poly-resin so comfort, even when navigating over cut ong wear life.:  Michelin Spacer - 1/2in ID x 5/8in OD  Seal - Bottom  Sleeve - Caster Wheel	stent huspokes herbs and  4  2  2  4	19.35 2.85			

All original equipment manufacturers names and part numbers are used for identification purposes only, and we are in no way implying that our products are original equipment parts. Prices subject to change without notice.



## **Replaces Scag SCZ - Cheetah Parts**



48in Zero-Turn Mower Caster Wheel

	R&R Part No.	OEM Part No.	Description	Qty Req	Price Order Each Quantity			
47	R254-79		Cup - Bearing	4	3.40			
	Detail Description: Use R254-79M installation mandrel to properly install race.:							
50	RZS451658	<b>3</b> 451658	Yoke Weldment	2	75.90			
52	RZS43584	43584	Spacer - Caster Wheel	4	2.35			