

## Replaces Toro Z Master Professional 7500-D Parts

*Zero-Turn Mower with 60in Deck - Model 72028 Caster Wheel* 





All original equipment manufacturers names and part numbers are used for identification purposes only, and we are in no way implying that our products are original equipment parts. Prices subject to change without notice.



## Replaces Toro Z Master Professional 7500-D Parts



Zero-Turn Mower with 60in Deck - Model 72028 Caster Wheel

	OEM Part No.	Description	Qty Req	Price Each	Orde Quantity
& Wheels					
TIRES		Click Here to View Complete Tire Selection	0	0.00	
onal Michelin Twee	l Tires				
RTMT49136	126-9344, 140-4943, 140-4946	Michelin X Tweel Turf Caster Smooth - 15x6.0N6 (5/8in Mount) 370 lb Max Load	2	249.65	
radius mowers, an which helps ensure dampen the ride fo	d completely eliminate th the mower deck productor or enhanced operator cor	ne risk of flat tires. They have a consis es an even cut, while the poly-resin s <sub>i</sub> mfort, even when navigating over cur	stent hu ookes h	b height elp	
RTMT34193		Michelin Spacer - 5/8in ID x 5/8in OD	4	19.35	
r Parts Available					
R126-9369	126-9369	Grease Cap - Castor	2	2.30	
R500534	1-633585	Bearing - with Cup	4	12.40	
Detail Description:	Kit includes: 1 ea R254-7	8- Bearing Cone & R254-79 Bearing (	Cone:		
R1-633508	1-633508	Washer - Spring Disc	12	3.10	
R1-633508 R3296-51	1-633508 3296-51, 3296-81	Washer - Spring Disc Nut - Nylon Lock 3/4-10 Gr 8	12 2	3.10 5.70	
	RTMT49136 Detail Description: radius mowers, an which helps ensure dampen the ride fo bumps. They are d RTMT34193 r Parts Available R126-9369 R500534	Part No.Part No.& WheelsTIRESonal Michelin Tweel Tiresand Michelin Tweel TiresRTMT49136126-9344, 140-4943, 140-4946Detail Description: Michelin X Tweel Turf cas radius mowers, and completely eliminate the which helps ensure the mower deck produce dampen the ride for enhanced operator cor bumps. They are designed to provide a longRTMT34193r Parts AvailableR126-9369126-9369R5005341-633585	Part No.Part No.Description& WheelsClick Here to View Complete Tire SelectionTIRESClick Here to View Complete Tire Selectiononal Michelin Tweel TiresMichelin X Tweel Turf Caster Smooth - 15x6.0N6 (5/8in Mount) 370 lb Max LoadRTMT49136126-9344, 140-4946Michelin X Tweel Turf Caster Smooth - 15x6.0N6 (5/8in Mount) 370 lb Max LoadDetail Description: Michelin X Tweel Turf casters replace the existing front caster: radius mowers, and completely eliminate the risk of flat tires. They have a consis which helps ensure the mower deck produces an even cut, while the poly-resin sp dampen the ride for enhanced operator comfort, even when navigating over cur bumps. They are designed to provide a long wear life.:RTMT34193I26-9369Michelin Spacer - 5/8in ID x 5/8in ODr Parts AvailableI26-9369Grease Cap - CastorR5005341-633585Bearing - with Cup	Part No.Part No.DescriptionReq& WheelsTIRESClick Here to View Complete Tire Selection0onal Michelin Tweel Tires0anal Michelin Tweel TiresMichelin X Tweel Turf Caster Smooth - 15x6.0N6 (5/8in Mount) 370 lb Max Load2Detail Description: Michelin X Tweel Turf casters replace the existing front casters on zer radius mowers, and completely eliminate the risk of flat tires. They have a consistent hu which helps ensure the mower deck produces an even cut, while the poly-resin spokes had dampen the ride for enhanced operator comfort, even when navigating over curbs and a bumps. They are designed to provide a long wear life.:Michelin Spacer - 5/8in ID x 5/8in OD4RTMT34193126-9369Grease Cap - Castor2	Part No.Part No.DescriptionReqEach& WheelsTIRESClick Here to View Complete Tire Selection00.00onal Michelin Tweel TiresRTMT49136126-9344, 140-4943, 140-4946Michelin X Tweel Turf Caster Smooth - 15x6.0N6 (5/8in Mount) 370 lb Max Load2249.65Detail Description: Michelin X Tweel Turf casters replace the existing front casters on zero turn radius mowers, and completely eliminate the risk of flat tires. They have a consistent hub height which helps ensure the mower deck produces an even cut, while the poly-resin spokes help dampen the ride for enhanced operator comfort, even when navigating over curbs and other bumps. They are designed to provide a long wear life.:419.35RTMT34193126-9369Grease Cap - Castor22.30R5005341-633585Bearing - with Cup412.40

Detail Description: Use R254-79M installation mandrel to properly install race.:

All original equipment manufacturers names and part numbers are used for identification purposes only, and we are in no way implying that our products are original equipment parts. Prices subject to change without notice.



## Replaces Toro Z Master Professional 7500-D Parts



Zero-Turn Mower with 60in Deck - Model 72028 Caster Wheel

	R&R Part No.	OEM Part No.	Description	Qty Req	Price Order Each Quantity
94	RF5003	32127-29, 32131-5, 32132-5, 3296-23	Locknut - ESNA 1/2-13	2	0.82
95	R325-39	325-39	Bolt - Hx HD 1/2-13 x 9 1/2	2	5.65
96	R103-2768	103-2768	Guard - Seal	4	3.45
97	R103-0063	103-0063	Seal - Grease	4	5.15
98	R254-78	01-102-0060, 01-102-0130, 1-633585, 254-78, 32-7790, 32-9580, 93-4813	Tapered Bearing Cone	4	6.40
99	R103-3051	103-3051	Spacer - Nut - Hardened	4	7.45
100	R103-5156	103-5156	Axle- Caster	2	9.65
101	R126-5361	126-5361	Axle Assy - with Bushing - Caster	2	12.50

All original equipment manufacturers names and part numbers are used for identification purposes only, and we are in no way implying that our products are original equipment parts. Prices subject to change without notice.