

Replaces Toro Z Master Commercial 4000 Parts

Zero Turn Mower with 60in Deck - Model 74035 Caster Wheel





All original equipment manufacturers names and part numbers are used for identification purposes only, and we are in no way implying that our products are original equipment parts. Prices subject to change without notice.



Replaces Toro Z Master Commercial 4000 Parts



Zero Turn Mower with 60in Deck - Model 74035 Caster Wheel

	R&R Part No.	OEM Part No.	Description	Qty Req	Price Each Qu	Orde antity	
ires	& Wheels						
20	TIRES		Click Here to View Complete Tire Selection	0	0.00		
Optio	onal Michelin Twee	l Tires					
30	RTMT73818	109-9127, 126-7592, 126-7753, 127-9526, 127-9528, 127-9540, 139-3604, 140-4896	Michelin X Tweel Turf Caster Grooved - 13x6.5N6 (5/8in Mount) 290 lb Max Load	2	204.15		
	Detail Description: Michelin X Tweel Turf casters replace the existing front casters on zero turn radius mowers, and completely eliminate the risk of flat tires. They have a consistent hub height which helps ensure the mower deck produces an even cut, while the poly-resin spokes help dampen the ride for enhanced operator comfort, even when navigating over curbs and other bumps. They are designed to provide a long wear life.:						
		109-9127, 126-7592, 126-7753, 127-9526,	Michelin X Tweel Turf Caster Smooth - 13x6.5N6		204.45		
30	RTMT41011	127-9528, 127-9540, 139-3604, 139-3639, 140-4896	(5/8in Mount) 290 lb Max Load	2	204.15		
30	Detail Description: radius mowers, an which helps ensure dampen the ride fo	127-9528, 127-9540, 139-3604, 139-3639, 140-4896 Michelin X Tweel Turf cas d completely eliminate th the mower deck produce	(5/8in Mount) 290 lb Max Load ters replace the existing front casters te risk of flat tires. They have a consis es an even cut, while the poly-resin sp mfort, even when navigating over cur	s on zero tent hu	o turn b height elp		
30	Detail Description: radius mowers, an which helps ensure dampen the ride fo	127-9528, 127-9540, 139-3604, 139-3639, 140-4896 Michelin X Tweel Turf cas d completely eliminate th the mower deck produce or enhanced operator con	(5/8in Mount) 290 lb Max Load ters replace the existing front casters te risk of flat tires. They have a consis es an even cut, while the poly-resin sp mfort, even when navigating over cur	s on zero tent hu	o turn b height elp		
31	Detail Description: radius mowers, an which helps ensure dampen the ride fo bumps. They are d	127-9528, 127-9540, 139-3604, 139-3639, 140-4896 Michelin X Tweel Turf cas d completely eliminate th the mower deck produce or enhanced operator con	(5/8in Mount) 290 lb Max Load ters replace the existing front casters te risk of flat tires. They have a consis es an even cut, while the poly-resin sp mfort, even when navigating over cur wear life.: Michelin Spacer - 1/2in ID x	s on zero tent hu pokes ho bs and o	o turn b height elp other		
31 Dthe	Detail Description: radius mowers, an which helps ensure dampen the ride fo bumps. They are d RTMT40653	127-9528, 127-9540, 139-3604, 139-3639, 140-4896 Michelin X Tweel Turf cas d completely eliminate th the mower deck produce or enhanced operator con	(5/8in Mount) 290 lb Max Load ters replace the existing front casters te risk of flat tires. They have a consis es an even cut, while the poly-resin sp mfort, even when navigating over cur wear life.: Michelin Spacer - 1/2in ID x	s on zero tent hu pokes ho bs and o	o turn b height elp other		

All original equipment manufacturers names and part numbers are used for identification purposes only, and we are in no way implying that our products are original equipment parts. Prices subject to change without notice.



Replaces Toro Z Master Commercial 4000 Parts



Zero Turn Mower with 60in Deck - Model 74035 Caster Wheel

	R&R Part No.	OEM Part No.	Description	Qty Req	Price Order Each Quantity
72	R126-5220	126-5220	Axle-Caster	2	9.61
73	R103-3051	103-3051	Spacer - Nut - Hardened	4	7.45
74	R103-2768	103-2768	Guard - Seal	4	3.45
75	R32128-23	32128-23, 3218-23, 99-5107	Nut - Lock Hex Flanged 1/2-13	2	1.55
76	R3234-5	3234-5, 62-3310	Bolt - 5/16-18x3/4 Hx Ser Was HD	2	0.78
77	R500534	1-633585	Bearing - with Cup	4	12.40
	Detail Description: Kit ind	cludes: 1 ea R254-78- Be	aring Cone & R254-79 Bearing Co	one:	

78 R254-78	01-102-0060, 01-102-0130, 1-633585, 254-78, 32-7790, 32-9580, 93-4813	Tapered Bearing Cone	4	6.40
79 R254-79	01-103-0060, 01-103-0130, 1-633584, 252-106, 254-79, 32-7800, 32-9590	Cup - Bearing	4	3.40

Detail Description: Use R254-79M installation mandrel to properly install race.:

All original equipment manufacturers names and part numbers are used for identification purposes only, and we are in no way implying that our products are original equipment parts. Prices subject to change without notice.