


Zero Turn Mower with 52in deck - Model 75955 Caster Wheel









Zero Turn Mower with 52in deck - Model 75955 Caster Wheel

	R&R	OEM Part No	Description	Qty	Price	Orde
	Part No. & Wheels	Part No.	Description	Req	Each	Quantit
	a wheels					
0	TIRES		Click Here to View Complete Tire Selection	0	0.00	
41	R127-9528	127-9528	Tire & Wheel - 13x6:50-6 Smooth Semi Pneumatic	2	195.25	
ptio	onal Michelin Twee	el Tire				
30	RTMT73818	109-9127, 126-7592, 126-7753, 127-9526, 127-9528, 127-9540, 139-3604,	Michelin X Tweel Turf Caster Grooved - 13x6.5N6 (5/8in Mount) 290 lb Max Load	2	204.15	
		140-4896 Michelin X Tweel Turf o	casters replace the existing front casters			
	radius mowers, an which helps ensure dampen the ride fo	140-4896 Michelin X Tweel Turf c nd completely eliminate e the mower deck produ	the risk of flat tires. They have a consis uces an even cut, while the poly-resin sp comfort, even when navigating over cur	tent hu ookes he	b height elp	
30	radius mowers, an which helps ensure dampen the ride fo	140-4896 Michelin X Tweel Turf of ad completely eliminate e the mower deck produ or enhanced operator of	the risk of flat tires. They have a consis uces an even cut, while the poly-resin sp comfort, even when navigating over cur	tent hu ookes he	b height elp	
30	radius mowers, an which helps ensure dampen the ride fo bumps. They are a <b>RTMT41011</b> Detail Description: radius mowers, an which helps ensure dampen the ride fo	140-4896 Michelin X Tweel Turf of ad completely eliminate e the mower deck produ- for enhanced operator of lesigned to provide a lo 109-9127, 126-7592, 126-7753, 127-9526, 127-9526, 127-9540, 139-3604, 139-3639, 140-4896	the risk of flat tires. They have a consis uces an even cut, while the poly-resin sp comfort, even when navigating over cur ng wear life.: Michelin X Tweel Turf Caster Smooth - 13x6.5N6 (5/8in Mount) 290 lb Max Load the risk of flat tires. They have a consis uces an even cut, while the poly-resin sp comfort, even when navigating over cur	tent hu pokes ho bs and bs and 2 2 5 on zero tent hu pokes ho	b height elp other <b>204.15</b> o turn b height elp	





Zero Turn Mower with 52in deck - Model 75955 Caster Wheel

	R&R Part No.	OEM Part No.	Description	Qty Req	Price Order Each Quantity
70	R116-8888	103-1474-01, 116-6707-01, 116-8888	Fork - Caster 7.875 in Inside	2	110.10
71	R103-4882	103-4882	Grease Cap - Castor	2	4.45
72	R3296-51	3296-51, 3296-81	Nut - Nylon Lock 3/4-10 Gr 8	2	5.70
73	R1-633508	1-633508	Washer - Spring Disc	6	3.10
74	R254-94	1-543509, 254-94, 32-8090, 32-8240, 32-9640, 40440, 62-3330	Tapered Bearing Cone	4	7.55
75	R254-72	01-103-0050, 01-103-0120, 01-103-0140, 1-543508, 254-71, 254-72, 40439, 62-3340, 99-4511	Cup - Bearing	4	4.05
76	R116-5647	116-5647	Seal - Grease	2	3.05
77	R325-39	325-39	Bolt - Hx HD 1/2-13 x 9 1/2	2	5.65
78	RF5003	32127-29, 32131-5, 32132-5, 3296-23	Locknut - ESNA 1/2-13	2	0.82
79	R103-2768	103-2768	Guard - Seal	4	3.45
80	R126-5361	126-5361	Axle Assy - with Bushing - Caster	2	12.50
81	R103-3051	103-3051	Spacer - Nut - Hardened	4	7.45





Zero Turn Mower with 52in deck - Model 75955 Caster Wheel

ltem <b>R&amp;R</b> No <b>Part No.</b>	OEM Part No.	Description	Qty Req	Price Order Each Quantity
82 <b>R103-0063</b>	103-0063	Seal - Grease	4	5.15
83 <b>R254-78</b>	01-102-0060, 01-102-0130, 1-633585, 254-78, 32-7790, 32-9580, 93-4813	Tapered Bearing Cone	4	6.40