


Rear Rollers





		" Cutting Unit ear Rollers OEM Part No.	Description	Qty	Price Ordo Each Quanti				
	Rear Rollers		Description	Req					
1	R100105	100105, 1002446, 1003728	Roller - Smooth Heavy Duty Tubular Steel	1	196.55				
	Tech Note: Constructed with a through shaft, this heavy duty roller uses tapered bearings for extended life. This roller body measures 21" in length.:								
2	R68597	68597	Roller - Smooth Solid Steel	1	194.05				
	Tech Note: Machined from solid steel, this heavy weight roller uses greasable "water-pump" style bearings.:								
3	R101335		Roller - Smooth UHMW Polyethylene	1	186.65				
	Tech Note: Machined from solid UHMW, this low maintenance roller uses a 1" solid stainless steel shaft and requires no grease. UHMW material prevents build-up of debris.:								
4	R1013662		Roller - Smooth UHMW Polyethylene	1	231.55				
	Tech Note: Machined from solid UHMW, this low maintenance roller uses a 1" solid stainless steel shaft and requires no grease. UHMW material prevents build-up of debris.:								
		101120, 68580	Roller - Grooved Machined Solic Steel	l 1	196.50				
5	R101120	00500		Tech Note: Machined from solid steel, this heavy weight roller uses greasable "water-pump" style bearings.:					
5	Tech Note: Mac		this heavy weight roller uses greasable "	water-pu	mp" style				
5	Tech Note: Mac		this heavy weight roller uses greasable " Roller - Grooved UHMW Polyethylene	lwater-pu	mp" style 191.90				
	Tech Note: Mac bearings.: R101337 Tech Note: Mac stainless steel s	hined from solid steel, thined from solid steel, thined from solid UHMV Shined from solid UHMV	Roller - Grooved UHMW	1 round a 1	191.90 " solid				
6	Tech Note: Mac bearings.: R101337 Tech Note: Mac stainless steel s	hined from solid steel, thined from solid steel, thined from solid UHMV Shined from solid UHMV	Roller - Grooved UHMW Polyethylene V, this low maintenance roller rotates an earings or grease. Patented groove desig	1 round a 1	191.90 " solid				



Tech Note: Fits all R&R 2" Dia. Black UHMW Polyethylene Rollers. Includes 10 ea.: R150322 Roll Pins; 2 ea.: R3296-15 Locknuts, R150347T Teflon Seals, R150333 Thrust Washers, & R150334A Bronze Thrust Washers:

21 **R101399**

Overhaul Kit - UHMW 2 Pc Roller 1 41.15

Tech Note: Fits all R&R 2-1/2" - 3-1/2" Dia. Black UHMW Plastic Rollers that do not use ball bearings.. Includes 2 ea.: R1503230 Star Washers, R1503470 Seals, R150333 Thrust Washers, R3296-15 Locknuts, R1503471 Bronze Thrust Washers:

Other Parts Available

30 R100106	100106	Shaft - Fits HD Rear Roller	1	47.55	
31 R61-0380		Roller End - Cap Solid	2	46.15	
32 R253-152	3001656	Seal - Inner Roller	2	3.55	
33 R254-79	254-79, 4121175	Cup - Bearing	2	3.20	

Tech Note: Use R254-79M installation mandrel to properly install race.:

34 R254-78	254-78, 385174, 4121174, 4135152	Tapered Bearing Cone	2	6.05	
35 R253-117	253-117, 3004882	Seal - Outer Triple Lip	2	4.20	
36 R150674	150674	Sleeve - Wear 3/4 Plated	2	12.95	
37 R3296-15	3296-15, 367029, 444742	Locknut - 3/4-16 Nylon Jam	2	2.15	
38 R302-5	302-5, 471214, 471223, 471226	Fitting - Grease	2	0.27	
39 R101482	101482	Bearing - Rear Machined Roller	2	31.55	
40 R150347T		Seal - Nonstick Lip	2	6.05	

Replaces J	acobsen	LF-3407	Parts
5" Cutting Unit			



Pro	ducis	5 Culling Unit			
	R&R Part No.	<i>Rear Rollers</i> OEM Part No.	Description	Qty Req	Price Order Each Quantity
41	R150334A		Washer - Thrust SAE660 Bronze	2	5.80
42	R150333		Washer - Flat Keyed Outer SS	2	5.15
43	R1503470		Seal - Inner Wiper	2	5.85
44	R1503471		Washer - Thrust SAE660 Bronze	2	4.20
45	R1503230		Washer - Thrust Outer Keyed	2	6.05
54	R338735	338735	Scraper - Rear Roller	1	30.05
55	R400186	400186	Bolt - Hex HD 5/16-18 x 7/8	2	0.43
56	R310266	310266, 452004, 452006, 452008	Washer - Flat 5/16 USS	2	0.23
56	R453009	3256-23, 452004, 452006, 452008, 453009	Washer - Flat 5/16 SAE	2	0.13
57	R446136	446134, 446136	Washer - Lock 5/16 Zinc	2	0.14
58	R443106	443106	Nut - 5/16-18 Y/Zinc Plated	2	0.19
59	R3005318	3005318	Shaft - Fits OEM 1002446	1	49.85
60	R3008027	3008027	Shaft - Fits 1003728 Roller	1	49.80
62	R445798	445798	Locknut - 3/4-16 Stover	2	5.85
63	R3005156	3005156	Sleeve - Wear Hardened	2	6.25
64	R500534	500534, R500534	Bearing - with Cup	2	11.80