


Replaces Jacobsen LF-4675 Parts



5" Cutting Unit
Minuteman Roller System





11

Replaces Jacobsen LF-4675 Parts



Order

Price

Qty

5" Cutting Unit Minuteman Roller System OEM

No Part No. Part No. Description **Each Quantity** Req **Complete Minuteman Roller Systems** RMJ3001 Minuteman Front Grooved Roller System 0 371.90 Detail Description: Complete roller systems include roller, two brackets with bearings and mounting hardware.: 2 **RMJ3002** Minuteman Rear Grooved Roller System 371.90 Detail Description: Complete roller systems include roller, two brackets with bearings and mounting hardware.: RMJ3003 Minuteman Rear Smooth Roller System 0 362.50 Detail Description: Complete roller systems include roller, two brackets with bearings and mounting hardware.: **Minuteman Rollers Only** RM528 Minuteman Grooved Roller Only 0 297.60 Detail Description: Use with Minuteman Roller Bracket System Only: RM515 Minuteman Grooved Roller Only 0 297.60 Detail Description: Use with Minuteman Roller Bracket System Only: **RM516** Minuteman Smooth Roller Only 0 278.55 Detail Description: Use with Minuteman Rollers Bracket System Only: Other Parts Available Bracket - Front LH/RH 2 7 **RJ121** 60.35 Bracket - Rear LH 1 **RJ131** 57.45 Bracket - Rear RH 1 **RJ132** 57.45 2 10 **RMMB157** Bearing w/Locking Collar 21.95 R120177 120177 Washer - Lock 3/8 2 0.27



Replaces Jacobsen LF-4675 Parts



5" Cutting Unit
Minuteman Roller System

| ltem | R&R | OEM | oner system | Qty | Price Order |
|------|----------|---|---------------------------------|-----|---------------|
| | Part No. | Part No. | Description | Req | Each Quantity |
| 12 | R443110 | 306562, 443110, 444762 | Nut - 3/8-16 Hex | 2 | 0.15 |
| 13 | R453009 | 3256-23, 452004, 452006, 452008, 453009 | Washer - Flat 5/16 SAE | 2 | 0.14 |
| 14 | RMM604 | | Bolt - Carriage 3/8-16 x 2 Gr 5 | 2 | 1.40 |
| 15 | R322-1 | | Bolt - Hex HD 5/16-18 x 1/2 | 2 | 0.49 |
| 16 | R322-3 | | Bolt - Hex HD 5/16-18 x 3/4 | 2 | 0.65 |
| 17 | R446136 | 446134, 446136 | Washer - Lock 5/16 Zinc | 4 | 0.15 |
| 18 | RMM609 | | Bushing - Aluminum Spacer | 2 | 2.45 |
| 19 | RMM3 | | End Hub - 7/8 ID | 2 | 10.35 |