




Cutting Unit Rollers







Cutting Unit Rollers

	R&R Part No.	OEM Part No.	Description	Qty Req	Price Order Each Quantity		
R&R I	Rollers						
1	R104125	116940, 131863, 132639	Roller - Smooth Tubular Steel	0	211.10		
	Tech Note: Fits 26" Unit. Constructed with a through shaft, this heavy duty roller uses greasable tapered bearings for extended life.:						
2	R1013630		Roller - Smooth UHMW Polyethylene	0	242.45		
	Tech Note: Fits 26" Unit. Machined from solid UHMW, this low maintenance roller uses a 1" solid stainless steel shaft and requires no grease. UHMW material prevents build-up of debris.:						
3	R104130	116933, 132640	Roller - Smooth Tubular Steel	0	217.55		
	Tech Note: Fits 30" Unit. Constructed with a through shaft, this heavy duty roller uses greasable tapered bearings for extended life.:						
4	R1013650		Roller - Smooth UHMW Polyethylene 30	0	251.75		
	Tech Note: Fits 30" Unit. Machined from solid UHMW, this low maintenance roller rotates around a 1" solid stainless steel shaft and requires no bearings or grease. Patented groove design and smooth UHMW material prevents build-up of debris.:						
5	R104100	116906, 123266	Roller - Grooved Repairable Steel - 26	0	301.05		
	Tech Note: Fits 26" Unit. Constructed with a through shaft and greasable ball bearings, this roller can be repaired by unscrewing the ends and replacing the series of washers and spacers.:						
6	R104115	123265, 67729	Roller - Grooved Repairable Steel - 30	0	308.15		
	Tech Note: Fits 30" Unit. Constructed with a through shaft and greasable ball bearings, this roller can be repaired by unscrewing the ends and replacing the series of washers and spacers.:						
7	R1013620	123266	Roller - Grooved UHMW Polyethylene	0	260.30		





Cutting Unit Rollers

	R&R Part No.	OEM Part No.	Description	Qty Req	Price Each	Order Quantity		
	around a 1" solid	l stainless steel shaft a	n solid UHMW, this low maintenand and requires no bearings or grease. events build-up of debris.:					
8	R1013640	123265	Roller - Grooved UHMW Polyethylene - 30	0	270.95			
	Tech Note: Fits 30" Unit. Machined from solid UHMW, this low maintenance roller rotates around a 1" solid stainless steel shaft and requires no bearings or grease. Patented groove design and smooth UHMW material prevents build-up of debris.:							
Overl	naul Kits							
20	R100137		Overhaul Kit - Roller	0	73.55			
	Tech Note: Includes 2 ea.: R3296-15 Locknuts, R302-5 Grease Fittings, R253-122 Seals, R253-117 Seals, R5-4038 Wear Sleeves, R254-78 Bearings & R254-79 Bearing Cups:							
21	R100138		Overhaul Kit - Roller	0	71.45			
	Tech Note: Includes 2 ea.: R3296-15 Locknuts, R253-152 Seals, R253-117 Seals, R5-4038 Wear Sleeves, R254-78 Bearings, R254-79 Bearing Cups, & R302-5 Grease Fittings:							
22	R101399		Overhaul Kit - UHMW 2 Pc R	Roller 1	41.15			
	Tech Note: Fits all R&R 2-1/2" - 3-1/2" Dia. Black UHMW Plastic Rollers that do not use ball bearings Includes 2 ea.: R1503230 Star Washers, R1503470 Seals, R150333 Thrust Washers, R3296-15 Locknuts, R1503471 Bronze Thrust Washers:							
23	R100133		Overhaul Kit - Roller	0	69.75			
	Tech Note: Includes: 2ea: R254-78 Bearings, R254-79 Bearing Cups, R3296-15 Locknuts, R338645 Cup Deflectors, R338646 Seals, R338647 Seals, & R366168 Wear Sleeves:							
Othe	r Parts Available							
30	R302-5	302-5, 471214, 471223, 471226	Fitting - Grease	2	0.27			
31	R253-152	3001656	Seal - Inner Roller	2	3.55			
32	R254-79	254-79, 4121175	Cup - Bearing	2	3.20			





Cutting Unit Rollers

	R&R Part No.	OEM Part No.	Description	Qty Req	Price Order Each Quantity
	Tech Note: Use R2	54-79M installation n	nandrel to properly install race.:		
33	R254-78	254-78, 385174, 4121174, 4135152	Tapered Bearing Cone	2	6.05
34	R253-117	253-117, 3004882	Seal - Outer Triple Lip	2	4.20
35	R5-4038	5-4038	Sleeve - Wear Reel Shaft	2	11.30
36	R3296-15	3296-15, 367029, 444742	Locknut - 3/4-16 Nylon Jam	2	2.15
37	R1503470		Seal - Inner Wiper	2	5.85
38	R1503230		Washer - Thrust Outer Keyed	2	6.05
39	R1503471		Washer - Thrust SAE660 Bronze	2	4.20
40	R150333		Washer - Flat Keyed Outer SS	2	5.15
41	R253-122		Seal	2	3.55
42	R150676	150676	Spacer - 2-3/4 Dia x 1-1/4 L	0	3.75
43	R150673	150673	Washer - 3 Repairable Roller	0	1.45
44	R150678		Spacer - Grooved Roller 3/4	2	2.90
45	R150691		Screw - Set Nyloc 3/8-16 x 3/8	4	1.10
46	R170714	170714, 471240, 471242	Fitting - Pressure Relief	2	2.25
47	R100103		Roller End - Grooved	2	84.45
48	R104102		Shaft - 26 Roller	1	49.80
49	R1013810		Shaft - 1 SS Roller	1	74.75





Cutting Unit Rollers

	R&R Part No.	OEM Part No.	Description	Qty Req	Price Order Each Quantity
50	R104103		Tube - Only Grooved Roller	1	62.50
51	R75-1290	75-1290	Bearing - Roller	2	21.20
52	R400182	400182	Bolt - Hex HD 5/16-18 x 5/8	2	0.78
53	R446136	446134, 446136	Washer - Lock 5/16 Zinc	2	0.14
54	R445781	445781	Nut - 5/16-18 Whiz	2	0.39
55	R415559	415559	Screw - Set 5/16-18 x 1	2	0.47
56	R3001706	3001706	Scraper - 26 Grooved Roller	1	53.05
56	R700508		Scraper - 26 Grooved Roller	1	52.55
57	R3003811	3003811	Scraper - 30 Grooved Roller	1	59.15
57	R700509		Scraper - 30 Grooved Roller	1	58.20
58	R104117		Shaft - 30 Roller	1	51.90
59	R1013820		Shaft - 1 SS Roller 2 Pc	1	75.35
60	R104118		Tube - Only Grooved Roller	1	63.10
61	R150676A		Spacer - 1/8	4	0.94
63	R500534	500534, R500534	Bearing - with Cup	2	11.80
64	R338647	338647	Seal - Inner Roller	2	5.85
65	R338646	338646	Seal - Outer Roller	2	5.80
66	R366168	336168, 366168	Sleeve - Wear Hardened	2	5.90
67	R338645	338645	Deflector - Cup	2	4.95
69	R366588	366588	Shaft - 26 Roller	1	45.95





Cutting Unit Rollers

ltem <b>R&amp;R</b>	OEM	Description	Qty	Price Order
No <b>Part No.</b>	Part No.		Req	Each Quantity
70 <b>R366587</b>	366587	Shaft - Solid 30 Roller	1	46.30