




Cutting Unit Reel & Redknife







Cutting Unit Reel & Bedknife OEM

ILEIII NON	OLIVI		Qty	Price Order
No <b>Part No.</b>	Part No.	Description	Req	<b>Each Quantity</b>
	<u>'</u>	<u>'</u>		

#### R&R Reels, Lifetime Guaranteed

1 **R8-5139** 8-5139, Jun-29

Reel - 5 Blade RH Splined 0 **385.15** 

Detail Description: R&R Reel blades are manufactured from high carbon-boron alloy steel and then hardened to RC46-49 to match the temper of our bedknives and original equipment bedknives. All R&R Reels are cylindrically ground on bearing surfaces and then relief ground. Reels are then precision computer balanced for extended bearing and reel life. R&R Products Reels are guaranteed against defects in material and workmanship for the life of the reel under normal use.:

1 **R8-5169** 

8-5169, Jun-59

Reel - 7 Blade RH Splined

0 **407.90** 

Detail Description: R&R Reel blades are manufactured from high carbon-boron alloy steel and then hardened to RC46-49 to match the temper of our bedknives and original equipment bedknives. All R&R Reels are cylindrically ground on bearing surfaces and then relief ground. Reels are then precision computer balanced for extended bearing and reel life. R&R Products Reels are guaranteed against defects in material and workmanship for the life of the reel under normal use.:

1 **R8-5149** 

8-5149, Jun-39

Reel - 5 Blade LH Splined

0 **385.15** 

Detail Description: R&R Reel blades are manufactured from high carbon-boron alloy steel and then hardened to RC46-49 to match the temper of our bedknives and original equipment bedknives. All R&R Reels are cylindrically ground on bearing surfaces and then relief ground. Reels are then precision computer balanced for extended bearing and reel life. R&R Products Reels are guaranteed against defects in material and workmanship for the life of the reel under normal use.:

1 **R8-5179** 

8-5179, Jun-69

Reel - 7 Blade LH Splined

0 **407.90** 

Detail Description: R&R Reel blades are manufactured from high carbon-boron alloy steel and then hardened to RC46-49 to match the temper of our bedknives and original equipment bedknives. All R&R Reels are cylindrically ground on bearing surfaces and then relief ground. Reels are then precision computer balanced for extended bearing and reel life. R&R Products Reels are guaranteed against defects in material and workmanship for the life of the reel under normal use.:

### R&R Bedknives, Lifetime Guaranteed

4 **R38-7420** 38-7420 Bedknife 0 **48.55** 

All original equipment manufacturers names and part numbers are used for identification purposes only, and we are in no way implying that our products are original equipment parts. Prices subject to change without notice.





Cutting Unit Reel & Bedknife OEM

Item **R&R** OEM Qty **Price Order** No **Part No.** Description Req **Each Quantity** 

Detail Description: R&R Bedknives are manufactured from high carbon-boron alloy steel and then hardened to RC46-49 to match the temper of our reel blades and original equipment reels. Bedknives are surface ground on the top and front edge and straightened three times before being packaged with oil for rust prevention. All R&R Bedknives now have an increased front edge grind for added life. All R&R Bedknives are guaranteed against defects in material and workmanship under normal use for the life of the part.:

R&R Rollers					
5	R5-4034	5-4034	Roller - Rear	0	267.25
Over	haul Kits				
6	R100185		Overhaul Kit - Roller	0	86.45
			17 Seals, R253-122 Seals, R254-78 Bear : R32121-24 Roll Pin, R3296-15 Locknu		
Othe	r Parts Available				
7	R253-121	253-121	Seal - Oil Reel	0	9.85
8	R5-3915	5-3915	Sleeve - Wear Reel	0	14.55
9	R51-0880	51-0880	Bedknife Screw Driver Tool	1	37.45
		n: Easily install and remo factured with hardened o	ve bed knife screws with the help of a ralloy steel.:	atchet	with 3/8"
10	R150475	3-6462	Screw - Bedknife Stainless 5/16-18 x 5/8	10	0.55
	Detail Description: Pre-Packaged in bags of 50:				
10	R150476	3-3816, 3-6462, 57-4910	Screw - Bedknife 5/16-18 x 5/8	10	0.30
11	R5-4041	5-4041	Shaft - Roller	1	54.55
12	R29-3803		Tube - 2 7/8 OD x 27 1/8	1	89.45
13	R5-4035	5-4035, Apr-59	Roller End - 2-7/8 OD	2	61.80

All original equipment manufacturers names and part numbers are used for identification purposes only, and we are in no way implying that our products are original equipment parts. Prices subject to change without notice.





Cutting Unit Reel & Bedknife

	R&R Part No.	OEM Part No.	Description	Qty Req	Price Order Each Quantity
14	R3296-15	116-7306, 32118-5, 32127-23, 32127-47, 3296-15	Locknut - 3/4-16 Nylon Jam	1	2.30
15	R253-122	253-122, 30-0640	Seal	2	3.75
16	R254-79	01-103-0060, 01-103-0130, 1-633584, 252-106, 254-79, 32-7800, 32-9590	Cup - Bearing	2	3.40
	Detail Descript	ion: Use R254-79M installation	n mandrel to properly install race.:		
17	R254-78	01-102-0060, 01-102-0130, 1-633585, 254-78, 32-7790, 32-9580, 93-4813	Tapered Bearing Cone	2	6.40
18	R253-117	253-117, 253-165	Seal - Outer Triple Lip	2	4.45
19	R5-4038	5-4038, 51-2420	Sleeve - Wear Reel Shaft	2	11.90
		5-4040	Nut - Adjusting Roller	1	14.55
20	R5-4040	3 10 10			
20	R5-4040 R32121-24	29-110-C, 29-110-D, 32121-24, 37-0800	Pin - Sp Roll 1/4 x 1	1	0.94
21		29-110-C, 29-110-D, 32121-24,	Pin - Sp Roll 1/4 x 1  Gasket - Cover Ignition Pts	1	0.94

All original equipment manufacturers names and part numbers are used for identification purposes only, and we are in no way implying that our products are original equipment parts. Prices subject to change without notice.





Cutting Unit Reel & Bedknife OEM

	R&R Part No.	OEM Part No.	Description	Qty Req	Price Order Each Quantity
24	RFG-2770		Point Set	1	8.75
25	R230722		Condensor	1	5.70
26	RN3212		NGK Spark Plug - B-6L	1	4.80
	Detail Desc	ription: Replaces Champion H8C:			
27	R5-2186	5-2186, May-83	Bearing - Reel	2	30.70
28	R27-2360	27-2360	Switch - Key 6 Lead 9/16 Mount	1	18.25
29	R6-1600	6-1600	Solenoid - Starter	1	30.95
30	R302-5	21-6010, 302-11, 302-37, 302-47, 302-5, 302-57, 302-58, 302-6, 31-0300, 32-9660, 60-0800, 62-3880, 92-4181	Fitting - Grease	2	0.30
31	R38-7330	38-7330	Shield - Grass	0	4.60